

- [6] L. G. Junior, M. A. G. Brito, L. P. Sampaio, and C. A. Canesin, "Integrated inverter topologies for low power photovoltaic systems," in Proc. Int. Conf. Ind. Appl., 2010, pp. 1–5.
- [7] S. V. Araujo, R. P. Torrico-Bascope, G. V. Torrico-Bascope, and
- [8] L. Menezes, "Step-up converter with high voltage gain employing three state switching cell and voltage multiplier," in Proc. Power Electron. Spec. Conf., 2008, pp. 2271–2277.
- [9] R. A. da Camara, C. M. T. Cruz, and R. P. Torrico-Bascope, "Boost based on three-state switching cell for UPS applications," in Proc. Brazilian Power Electron. Conf., 2009, pp. 313–318.
- [10] L. Huber and M. M. Jovanovic, "A design approach for server power supplies for networking," in Proc. Appl. Power Electron. Conf. Expo., 2000, pp. 1163–1169.
- [11] X. G. Feng, J. J. Liu, and F. C. Lee, "Impedance specifications for stable dc distributed power systems," IEEE Trans. Power Electron., vol. 17, no. 2, pp. 157–162, Mar. 2002.
- [12] Y. R. Novaes, A. Rufer, and I. Barbi, "A new quadratic, three-level, dc/dc converter suitable for fuel cell applications," in Proc. Power Converters. Conf., Nagoya, Japan, 2007, pp. 601–607.
- [13] K. W. Ma and Y. S. Lee, "An integrated fly back converter for dc uninterruptible power supply," IEEE Trans. Power Electron., vol. 11, no. 2, pp. 318–327, Mar. 1996.
- [14] C. T. Choi, C. K. Li, and S. K. Kok, "Modeling of an active clamp discontinuous conduction mode fly back converter under variation of operating condition," in Proc. IEEE Int. Conf. Power Electron. Drive Syst., 1999, pp. 730–733.
- [15] K. C. Tseng and T. J. Liang, "Novel high-efficiency step-up converter," IEEE Proc.–Electr. Power Appl., vol. 151, no. 2, pp. 182–190, Mar. 2004.
- [16] O. Abutbul, A. Gherlitz, Y. Berkovich, and A. Ioinovici, "Boost converter with high voltage gain using a switched capacitor circuit," in Proc. Int. Symp. Circuits Syst., 2003, pp. III-296–III-299.
- [17] Y. Jang and M. M. Jovanovic, "Interleaved boost converter with intrinsic voltage-doubler characteristic for universal-line PFC front end," IEEE Trans. Power Electron., vol. 22, no. 4, pp. 1394–1401, Jul. 2007.



Rafiqul Islam is currently doing his B.Sc in Electrical & Electronic Engineering from American International University-Bangladesh (AIUB). Currently, he is doing research on Power and Energy.



Mir Gulam Mohin Uddin was born in Chittagong, Bangladesh, in 1993. He completed his S.S.C. and H.S.C. from Chittagong Municipal Model High School and Hajera-Taju University College, in 2008 and 2010 respectively. He received the Bsc. degree in Electrical & Electronics Engineering from American International University- Bangladesh, in 2014.

Author Profile



Md. Jahid Hasan is under graduated from American International University Bangladesh (AIUB) in department of Electrical and Electronic Engineering. He is currently a Research Assistant with the Department of Electrical Engineering. His main research interests include power electronic converters, Renewable Energy and Technology and Organic Circuitry.



Ahmed Abdullah earned BSc from American International University-Bangladesh under the department Electrical and Electronics Engineering. He primarily develops projects on embedded system, but also has experience with Renewable Energy, Power System Protection.