









Triangular stiffener shows the minimum values of Von-Mises and circumferential stresses in all cases. Hence it is comparatively better than semi-circular and rectangular stiffeners.

## References

- [1] Shuan-qiang Xu and Mao-hong Yu, "Shakedown analysis of thick-walled cylinders subjected to internal pressure with the unified strength criterion", *International Journal of Pressure Vessels and Piping* 82 (2005) 706–712.
- [2] Zengliang Gao, Gangsi Cai, Lihua Liang and Yuebao Lei, "Limit load solutions of thick-walled cylinders with fully circumferential cracks under combined internal pressure and axial tension", *Nuclear Engineering and Design* 238 (2008) 2155–2164.
- [3] A. B. Ayob, M. N. Tamin, and M. Kabashi Elbasheer, "Pressure Limits of Thick-Walled Cylinders", *Proceedings of the International MultiConference of Engineers and Computer Scientists 2009 Vol II IMECS 2009*, March 18 - 20, 2009, Hong Kong.
- [4] J.P. M. Whitty, B. Henderson, J. Francis and N. Lloyd, "Optimized thick-wall cylinders by virtue of Poisson's ratio selection Part 1: Isochoric pressure application", *Nuclear Engineering and Design* 241 (2011) 2766– 2774.
- [5] Yuebing Li, Yuebao Le, Zengliang Gao, "Global limit load solutions for thick-walled cylinders with circumferential cracks under combined internal pressure, axial force and bending moment \_ Part II: Finite element validation", *International Journal of Pressure Vessels and Piping* 114-115 (2014) 41-60.
- [6] Neetesh N. Thakre, Dr. D. V. Bhope, "Investigation of Stresses in Ring Stiffened Circular Cylinder", *International Journal of Engineering and Technical Research (IJETR)* ISSN: 2321-0869, Volume-2, Issue-9.
- [7] R. S. Khurmi and J. K. Gupta, "Machine design", 14th edition, S. Chand publishing house (Pvt.) Ltd. 2005.