

bacteria to a position (set of optimization parameters) with highest fitness.

The foraging strategy of E. Coli. Bacteria are governed by four processes. These are chemo-taxis, swarming, reproduction and elimination and dispersal. Chemo-taxis is achieved by swimming and tumbling. When the bacterium meets favorable environment (rich in nutrients and noxious free), it continues swimming in the same direction. Decrease in cost function represents favorable environment, while increase in cost function represents unfavorable environment. When it meets unfavorable environment it tumbles (changes direction). In swarming, the bacteria move out from their respective places in ring of cells by bringing mean square error to the minimal value.

3. Energy Efficiency in WSN

Energy control is the most important problem for wireless sensor networks, and the design of an efficient energy strategy for prolonging the whole networks lifetime. The focus is the energy control strategy in energy-efficient routing protocols for wireless sensor networks. Considering the issues packet delivery fraction, End to end delay and Energy consumption Performance, Packet delivery fraction is the ratio of the data packets delivered to the destinations to those generated by the sources. End to end delay is the total latency experienced by a packet to traverse the network from the source to the destination. Energy consumption is the total number of energy consumed for packets transmitted and packets receiving during the simulation. Energy consumption is the total number of energy consumed for packets transmitted and packets receiving during the simulation [18].

In the network layer, the choosing of routing relates to the node energy consumption while transmitting data. There are a few paths between two nodes, and of course different routing consumes different energy. We can choose the route which consumes the last energy or the route on which the nodes provides the most energy. The energy consumption in Wireless Sensor Networks (WSNs) occurs in three domains: - sensing, communication and data processing. When sensing message, the sensors consume the energy. How to save the energy is due to the mode of sensing messages, while the physical energy consumption is fixed. Communication is the major consumer of energy. The relation between energy consumption and communication range in wireless sensor networks is

$$E=Kd$$

Where,

- E is the energy consumption
- d is the communication range, and $2 < n < 4$
- K is a constant

From the formula, the longer range is, the more the consumption. And the data processing also consumes energy. For the scalability of energy consumption in WSN, all the components of the sensor node are supposed to be controlled by an operation system, such as micro Operating System

(μ OS) [9]. Thereby, shutting down or turning on any component is enabled by device drivers in the specified WSN application.

4. Energy Efficiency Using BFO in WSN

Bacteria Foraging Algorithm in wireless sensor network is used to improve the energy efficiency of each sensor nodes, whereas in previous schemes it used in control system. Now a day's Bacteria Foraging technique is gaining importance in the optimization problems [10]. Because

Philosophy says, Biology provides highly automated, robust and effective organism.

Search strategy of bacteria is salutary (like common fish) in nature.

Bacteria can sense, make a decision and act so adopts social foraging (foraging in groups).

To perform social foraging an animal needs communication capabilities and it gains advantages that can exploit essentially the sensing capabilities of the group, so that the group can gang-up on larger prey, persons can obtain safety from predators while in a group, and in a certain sense the group can forage a kind of intelligence. BFO is based on the foraging performance of Escherichia Coli (E. coli) bacteria present in the person intestine.

5. Related Work

M. Tripathy et al has proposed a new algorithm Bacteria Foraging Algorithm (BFA) along with the transformer taps are tuned with a view to simultaneously optimize the actual power losses and voltage stability limit. Kelvin M. Passino [11] et al has proposed to improve the energy efficiency of the control system using Bacteria Foraging Algorithm (BFA). Thus, extending the life-time of the control system Indrajit Banerjee [12] et al has proposed to maximize the lifetime of sensor nodes and also to find the shortest path between cluster head and base station for effective data transmission to base station. Lejiang Guo, Weijiang et al has proposed to improve node energy efficiency, balances energy consumption of all sensor nodes, enhances the reliability of data transmission and increases the network lifetime in comparison to LEACH.

Author [13] proposed energy conservation techniques and algorithms for calculating energy-efficient topologies for WSNs. The energy efficient method of introducing a coordinator to a WSN is presented. They showed that algorithm outperforms the results obtained for popular clustering based power save protocol GAF.

Liu Yueyang [14] proposed a new chaining algorithm EB-PEGASIS, which uses distance threshold to avoid this phenomenon in PEGASIS. Using this algorithm, the sensor networks can achieve energy balance and prolong network lifetime.

In this author [15] proposed methods for clustering and cluster head selection to WSN to improve energy efficiency.

The modified approach for cluster head selection with good performance and reduced computational complexity. They presented a comparison between the different methods on the basis of the network lifetime. In addition it also proposes BFO as an algorithm for clustering of WSN which would result in improved performance with faster convergence.

6. Conclusion

WSN has the potentiality to join the physical world with the virtual world by creating a network of sensor nodes.

References

- [1] I. F. Akyildiz, W. Su, Y. Sankarasubramaniam, and E. Cayirci, "A survey on sensor networks," *Communications Magazine, IEEE*, vol. 40, pp. 102-114, 2002
- [2] I.F.Akyildiz, W.Su, Y. Sankarasubramaniam and E. Cayirci, "Wireless sensor networks: a survey," *Computer Networks, Elsevier*, vol. 38, pp. 393-422, 2002
- [3] Jennifer Yick, Biswanath Mukherjee, Dipak Ghosal, "Wireless sensor network survey," *Computer Networks, Elsevier*, vol. 52, pp. 2292-2330, 2008
- [4] K. Martinez, J. K. Hart, and R. Ong, "Environmental Sensor Networks," *Computer Magazine, IEEE*, vol. 37, no. 8, pp. 50-56, 2004
- [5] D. Culler, D. Estrin, M.Srivastava, "Overview of Sensor Networks," *Computer Magazine, IEEE*, vol. 37, no. 8, pp. 41-49, August 2004
- [6] J. L.Hill, "System architecture for wireless sensor networks", University of California, Berkeley, Ph.D. dissertation 2003
- [7] S. Mohanty and S.K.Patra, —A novel Bio-inspired Clustering algorithm for Wireless Sensor Networks, | accepted in 3rd International Conference on Intelligent and Advanced Systems, Kuala Lumpur, Malaysia(ICIAS2010)
- [8] Rajnish Manwall, Aniket Mathuriya, Saruchi Garg, Pushpraj Pal "Performance evaluation of energy saving in WSN by using simulator ns2" *International Journal of Data & Network Security www.cirworld.com Volume 1 No.1, Aug, 2012*
- [9] Sinha, A. Dynamic power management in wireless sensor networks. *IEEE Design and Test of Computers* 2001, 18, 62-74.
- [10] A. Rajeshwari 1, V. Vimala Devi 2, A. S. Lakshmi 3, N. Nagajothi, , "Civilizing Energy Efficiency in wireless"
- [11] Nagajothi, , "Civilizing Energy Efficiency in wireless Sensor Network using Bacterial Foraging Algorithm"
- [12] I. Banerjee, H. Rahaman, B. Sikdar, "UDDN: Unidirectional Data Dissemination via Negotiation", *IEEE International Conference on Information Networking*, 23-25 January, Pusan, Korea, 2008
- [13] Ewa Niewiadomska-Szynkiewicz, Piotr Kwaśniewski, and Izabela Windyga "Comparative Study of Wireless Sensor Networks Energy-Efficient Topologies and Power Save Protocols", *Journal of telecommunication and information technology*, 2009
- [14] Kelvin. M. Passino "Biomimicry of bacterial foraging g for distributed and optimization control". *IEEE con trol*

system magazine, 2002

- [15] Liu Yueyang, Ji Hong, Yue Guangxin, "An Energy-Efficient PEGASIS-Based Enhanced Algorithm in Wireless Sensor Networks" *China Communications* August 2006
- [16] Charka Panditharathne and Soumya Jyoti Sen "Energy Efficient Communication Protocols for Wireless Sensor

Author Profile



Sonia received the B.TECH degree in Computer Science and technology and M.Tech degree in Computer Science and Engineering from Maharshi Dayanand University in 2013 and 2015, respectively.