

- The number of comfortable hours has been sustained with the PCM's integrated building than the non integrated building.
- The PCM have a energy storing capacity and act as environmental friendly.

References

- [1] Marco Casini, "Smart materials and nanotechnology for energy retrofit of historic buildings, " Journal of Advances In Civil, Structural And Construction Engineering, CSCE 2014.
- [2] Karthik Muruganantham, "Application of Phase change Material in Buildings: Field Data vs. Energy Plus Simulation," November 2010.
- [3] Naser P. Sharifi and Aaron Sakulich, "Application of Phase Change Materials in Structures and Pavements"
- [4] Bouguerra E. H et.al, "Performance of Phase Change Materials for Cooling of Buildings in Mild climate", In the proceedings of 30th International Plea conference, December 2014.
- [5] Albert Castell, Karim Menoufi, Alvaro de Gracia, Lidia Rincón, Dieter Boer, Luisa F. Cabeza " Life Cycle Assessment of alveolar brick construction System incorporating phase change materials, " Journal of Applied Energy, 101 (2013), 600–608.
- [6] Simen Edsjø Kalnæs Bjørn Petter Jelle, "Phase Change Materials for Building Applications: A State-of-the- Art Review and Future Research Opportunities, Energy and Building, " 2015.
- [7] F. Kuznik, D. David, K. Johannes, J.-J. Roux "A review on phase change materials integrated in building walls, " Journal of Renewable and Sustainable Energy Reviews, Elsevier, 15 (1), pp. 379-391, 2011.
- [8] Swetha Pendyala, "Macro encapsulation of Phase Change Materials for Thermal Energy Storage," Journal of University of South Florida, Scholar Commons citation, January 2012, Graduate Theses and Dissertations.
- [9] Kenneth I. and J. Gates, "Thermal Storage for Sustainable Dwellings," Journal of International Sustainable Building proceedings, Maastricht, Netherlands, 2000.
- [10] Y.Özonur, M.Mazman, H.Ö. Paksoy and H. Evliya, "Microencapsulation of coco fatty acid mixtures for Thermal energy storage with phase change material" Journal of International Journal of Energy Research, 30, 741-749, 2006.